

## Install and Uninstall ePass2000\_FT12

This chapter contains the following topics:

- Platforms supported by ePass2000\_FT12
- Preparation for installing ePass2000\_FT12
- Install ePass2000\_FT12 runtime library
- Uninstall ePass2000\_FT12 runtime library

### 1. Platforms supported by ePass2000\_FT12

ePass2000\_FT12 currently supports the following platforms:

- Linux
- Mac OS
- Windows

### 2. Preparation for installing ePass2000\_FT12

Before the installation of ePass2000\_FT12 runtime library, please confirm the following requirements has been met:

- Operation system is one of the systems listed above
- Computer has at least one USB port available
- Computer's BIOS supports USB devices and its USB supporting functionality is enabled in CMOS
- USB extension wire or USB hub (optional)
- ePass2000\_FT12 Token

### 3. Install ePass2000\_FT12 runtime library

Before using ePass2000\_FT12, the ePass2000\_FT12 runtime library must be installed. To do this, please enter the directory of ePass2000's installation package and run command "**tar zxvf EnterSafe-ePass2000\_ft12-\*.tar.gz**" to depress the runtime library package. Then enter the decompression directory and use root account to run command "**./install**" to finish the installation. Please refer to the following figure(This document describes with RedHat AS 4.0):

A terminal window with a menu bar (File, Edit, View, Terminal, Tabs, Help) and a scroll bar on the right. The terminal text shows the installation process: extracting a tar.gz file, changing to the directory, running ./install, and receiving confirmation that the installation was successful. It also provides instructions on how to start the ngslotd service.


```
File Edit View Terminal Tabs Help
[root@ice output]# tar xzf EnterSafe-ePass2000_ft12-1.2.2.070824-AS4.x86.tar.gz
[root@ice output]# cd EnterSafe-ePass2000_ft12-1.2.2.070824-AS4.x86
[root@ice EnterSafe-ePass2000_ft12-1.2.2.070824-AS4.x86]# ./install
Start to install ...
Install successfully!
Now you can start the ngslotd with command "/etc/init.d/ngslotd start", or reboot yo
ur PC to start ngslotd automatically
[root@ice EnterSafe-ePass2000_ft12-1.2.2.070824-AS4.x86]#
```

Figure 1 Install ePass2000\_FT12

After the installation, you can start the ngslotd with command “/etc/init.d/ngslotd start”, or reboot you system to start ngslotd automatically.

#### 4. Uninstall ePass2000\_FT12 runtime library

The ePass2000\_FT12 runtime library could be uninstalled by running the command “/usr/local/ngsrv/39500FF3-4D80-4FA8-884B-FC5DB60DAB6C\_FT12/uninstall”, Please refer to the following figure:

A terminal window with a menu bar (File, Edit, View, Terminal, Tabs, Help) and a scroll bar on the right. The terminal text shows the uninstallation process: changing to the specific directory, running ./uninstall, stopping the ngslotd service, and receiving confirmation that the uninstallation was successful.

```
File Edit View Terminal Tabs Help
[root@ice ~]# cd /usr/local/ngsrv/39500FF3-4D80-4FA8-884B-FC5DB60DAB6C_FT12/
[root@ice 39500FF3-4D80-4FA8-884B-FC5DB60DAB6C_FT12]# ./uninstall
Start to uninstall ...
Stoping ngslotd: [ OK ]
Uninstall successfully!
[root@ice 39500FF3-4D80-4FA8-884B-FC5DB60DAB6C_FT12]#
```

Figure 2 Uninstall ePass2000\_FT12